

Consommation et Corporations Canada

Consumer and Corporate Affairs Canada

Bureau des brevets

Patent Office

Oltawa, Canada K1A 0C9 (21) (A1)

2,051,615

(22)

1991/09/17

(43)

1993/03/18

,029,8/99

(51) INTL.CL. 5 C09K-003/00; C01G-011/24; C01G-011/36,

## (19) (CA) APPLICATION FOR CANADIAN PATENT (12)

- (54) De-Icer Composition "Marina"
- (72) Benditkis, Rafail Canada ;
- (73) Same as inventor
- (57) 1 Claim

Notice: The specification contained herein as filed



CCA 3254 (10-89) 41

Previous Doc

Next Doc

Go to Doc#

**....** 

Generate Collection

L2: Entry 12 of 24

File: DWPI

Print

Mar 18, 1993

DERWENT-ACC-NO: 1993-175894

DERWENT-WEEK: 199322

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Deicer compsn. for e.g. icy roads - contains calcium chloride plus calcium nitrate and

nitrite as anticorrosive

INVENTOR: BENDITKIS, R

PATENT-ASSIGNEE:

ASSIGNEE

CODE

BENDITKIS R

BENDI

PRIORITY-DATA: 1991CA-2051615 (September 17, 1991)

Search Selected | Search ALL

Clear

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

<u>CA 2051615 A</u>

March 18, 1993

005

C09K003/00

APPLICATION-DATA:

PUB-NO

APPL-DATE

APPL-NO

DESCRIPTOR

CA 2051615A

September 17, 1991

1991CA-2051615

INT-CL (IPC): C01G 11/24; C01G 11/36; C09K 3/00

ABSTRACTED-PUB-NO: CA 2051615A

BASIC-ABSTRACT:

Deicer compsn. (I) contains 60-98% CaCl2 and 2-40% Ca(NO3)2 plus Ca(NO2)2.

USE/ADVANTAGE - (I) is applied to highways to melt snow and ice. Presence of Ca(NO3)2 plus Ca(NO2)2 in (I) reduces corrosion of vehicles, storm sewers, underground communication lines etc(I) are as efficient as conventional NaCl/sand mixts.

In an example, CaCl2 soln. is evaporated to 68% concn. at 160-180 deg. C and 700kg fed to a mixer also supplied with a 300kg mixt. of Ca(NO3)2 plus Ca(NO2)2 (typically in wt. ratio 9:1-1:9). Mixing is at 150-170 deg. for 10-15 mins. Resulting slurry is dried, cooled and packed into bags as deicer compsn.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: DEICER COMPOSITION ICE ROAD CONTAIN CALCIUM CHLORIDE PLUS CALCIUM NITRATE NITRIT ANTICORROSIVE

DERWENT-CLASS: E33 G04 M14

CPI-CODES: E34-D02; E34-D03; G04-B05; M14-F02;

CHEMICAL-CODES:

The invention relates to the de-icer compositions, which allow to fight snow and ice during the winter season.

The main component is calcium chloride which had been well known and widely used for a number of years to fight snow and ice on the roads. Lately the use of calcium chloride had become especially important in view of the high speed highway road system.

To ensure a normal flow of high volume of traffic, the roads that this traffic is using should be ice-free.

Calcium chloride had been used as well in the concrete mix solutions to prevent freezing of the mix at low temperatures while also increasing the speed of the hardening process.

Even though these are just few of the examples of commercial use of calcium chloride, the quantities of calcium chloride used for these purposes are immense.

Currently during the winter season to fight the snow and ice on the roads they are using a mix of salt and sand.

This mix has a very strong corrosion effect on all kinds of vehicles as well as on the road surface, underground storm sewers, underground parking garages, underground communication lines, while also having a very negative effect on the environment.

The de-icer composition "Marina" we are now offering possesses the same melting power against ice and snow on the roads as the salt and sand mix, with sibstantial difference being the fact that the de-icer composition "Marina" is absolutely corrosion—safe for all vehicles, the road surface, underground storm sewers, underground parking garages, underground communication lines, and since the de-icer composition "Marina" is absolutely non-toxic, it doesn't have any negative effect on the environment.

The described above characteristics prove the use of the de-icer composition "Marina" to be beneficial and economically - feasable to fight ice and snow on the roads as well as in construction industry.

The purpose of invention - creation of de-icer composition free of corrosion damaging effects.

It is achieved by adding to the de-icer composition a mix of calcium nitrite and calcium nitrate (calsium nitrite nitrate) in the amount of  $2\,-\,40\%$ .

The composition of de-icer "Marina" (in %) is as follows:

A mix of calcium nitrite and calcium nitrate (calcium nitrite nitrate) - 2-40 Calcium chloride or its mix with sodium chloride - 98-60

The process of preparation of the de-icer composition "Marina"

The solution of calcium chloride or its mixture with sedium chloride is being evaporated to the concentration of 68% at a temperature of  $160\,^{\circ}\mathrm{C}$  –  $180\,^{\circ}\mathrm{C}$ , and in the quantity of 700 Kg, recalculating for 100% calcium chloride or its mixture with sodium chloride, being forwarded to a mixing machine. In this same mixing machine through a feed control device 300 Kg of solid mix of calcium nitrite and calcium nitrate is being added in a proportion 9:1-1:9 and thoroughly mixed at a temperature  $150\,^{\circ}\mathrm{C}-170\,^{\circ}\mathrm{C}$  during 10-15 minutes.

The resulted slurry is then crystallized, dried, cooled, and the ready product is packaged into the moisture - resistant bags.

## ABSTRACT

Offering a new composition of De-Icer based on calcium chloride or a mixture of calcium chloride with sodium chloride, to which mixture is added a mix of calcium nitrite and calcium nitrate in the amount of  $2\,-\,40\%$  with a purpose of preventing the corrosion of metals.

## 2051615

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

De-loer composition containing calcium chloride or its mixture with sodium chloride , which differentiates by the fact that in order to prevent the metall corrosion effect, a mix of calcium nitrite and calcium nitrate is being added to the mix in the amount 2-40%.